

IN THE CLAIMS:

Please amend claims 15 and 27 as shown below in the complete set of all pending claims provided herein.

Claims 1-14 (canceled)

15. (currently amended) A system for extending and retracting an object outside and inside an outside surface of a body, comprising:

a mounting structure attached within the body;

a platform to which the object is attached;

a mechanism for extending and retracting the platform, outside and inside the body, along a linear movement path; and

a linear guide connected to the mounting structure at a first end of the linear guide and connected to the platform at a second end of the linear guide, wherein the linear guide is engaged by an

annular engagement structure connected to the platform, which

engages a threaded screw, and comprises an elongated member disposed

along and in parallel to a linear movement path of the platform to

stabilize and direct linear movement of the platform in an

1337.701

atmosphere.

16. (previously presented) The system of claim 15, wherein the body is an aircraft.

17. (previously presented) The system of claim 15, wherein the object is a sensor.

18. (previously presented) The system of claim 15, wherein the object is a camera.

19. (previously presented) The system of claim 15, wherein the mechanism is electrically driven.

20. (previously presented) The system of claim 15, wherein the mechanism is hydraulically driven.

21. (previously presented) The system of claim 15, wherein the mechanism is magnetically driven.

22. (previously presented) The system of claim 15, wherein the mechanism is pneumatically driven.

23. (previously presented) The system of claim 15, wherein the mechanism comprises a linear motion screw.

24. (previously presented) The system of claim 15, wherein

the mechanism comprises a clutch and brake apparatus.

25. (previously presented) The system of claim 15, wherein the body comprises concealment doors that are opened upon extending the object, and closed upon retracting the object.

26. (previously presented) The system of claim 15, wherein the mounting structure is fitted into the shape of the body so as limit intrusion into the body.

27. (currently amended) A method for extending and retracting an object outside and inside an outer surface of a body, comprising:

providing a movable platform comprising a mounting structure attached within the body, and a linear guide fixed to the mounting structure, wherein the linear guide is engaged by an annular

engagement structure connected to the platform, which engages a

---

threaded screw, and comprises an elongated member disposed along and

in parallel to a linear movement path of the platform;

attaching the object to a platform; and

extending and retracting a platform outside and inside the body

along the linear movement path of the platform, wherein the linear guide stabilizes and directs linear movement of the movable platform in an atmosphere.

28. (previously presented) The method of claim 27, wherein the body is an aircraft.

29. (previously presented) The method of claim 27, wherein the object is a sensor.

30. (previously presented) The method of claim 27, wherein the object is a camera.

31. (previously presented) The method of claim 27, wherein the step of extending is performed by an electrically driven mechanism.

32. (previously presented) The method of claim 27, wherein the step of extending is performed by a hydraulically driven mechanism.

33. (previously presented) The method of claim 27, wherein the step of extending is performed by a magnetically driven system.

34. (previously presented) The method of claim 27, wherein the step of extending is performed by a pneumatically driven system.

1337.701

35. (previously presented) The method of claim 27, wherein the step of extending is performed using a linear motion screw.

36. (previously presented) The method of claim 27, wherein the step of extending is performed using a clutch and brake apparatus.